1/2/2024 Job No. 03346.006 & 03346.014

BID PROPOSAL SCHEDULE GRACE VALLEY RANCH SUBDIVISION PHASE 3A & 3 STREET EXTENSION

BIDDER'S NAIVIE.	
BID SUMMARY	
SEDIMENTATION AND EROSION CONTROL	\$ -
LOT GRADING IMPROVEMENTS	\$ -
DRAINAGE IMPROVEMENTS	\$ -
STREET IMPROVEMENTS	\$ -
WATER IMPROVEMENTS	\$ -
SANITARY SEWER IMPROVEMENTS	\$ -
MISCELLANEOUS ALTERNATIVE	\$ -
TOTAL BASE BID:	\$ _

No shrinkage or swelling facor is accounted for in the engineering excavation and embankment quantities. Contractor to adjust unit price as he deems necessary to account for shrinkage and swelling.

* Includes Bid Bond, Warranty Assignments or Bonds, Per City of Cibolo, and GVSUD Requirements

DIDDEDIC NAME.

- ** Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- ** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials	
Date	

BID PROPOSAL SCHEDULE GRACE VALLEY RANCH SUBDIVISION PHASE 3A & 3 STREET EXTENSION SEDIMENTATION & EROSION CONTROL

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
Phase 3/	4				
1.	Stabilized Construction Entrance	EA	1	\$ -	\$ -
2.	Concrete Washout Pit	EA	1	\$ -	\$ -
3.	Silt Fence	LF	975	\$ -	\$ -
4.	Inlet Protection	LF	145	\$ -	\$ -
5.	Rock Berm	LF	56	\$ -	\$ -
Phase 3 S	Street Extension			SUBTOTAL	
1.	Stabilized Construction Entrance	EA	1	\$ -	\$ -
2.	Concrete Washout Pit	EA	1	\$ -	\$ -
3.	Silt Fence	LF	156	\$ -	\$ -
4.	Inlet Protection	LF	110	\$ -	\$ -
5.	Rock Berm	LF	36	\$ -	\$ -
				SUBTOTAL	\$ -

TOTAL COST	\$

- ** Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- ** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

** Commence of Construction:

- Initial project clearing will need to be limited to the locations of the proposed temporary SWP3 Best Management Practices (BMP) designed by the engineer. These BMPs may include, but are not limited to:
 Stabilized Construction Exit(s), Silt Fence, Discharge Point Rock Berms/Check Dams, Trash containment, Temporary Sediment Basins (if applicable), Demarcation of protected site features for exapmle; Wetlands, Environmental Buffers, Caves or Solution Features, and Habitats.
- 2. Prior to commencement of additional clearing or earth disturbing activities, the proposed BMPs will need to be installed by the Contractor and inspected by a Lennar Representative. Contractor must provide at minimum, 48-hours of notice to Lennar when the BMPs are scheduled to be installed and completed. The Lennar Representative will coordinate the Land Development Manager to release the project for construction.
- 3. When a Temporary Sediment Basin is required for the project, limited clearing of the proposed basin location and any material borrow areas to construct the Temporary Sediment Basin may occur during the initial BMP installation period. The Temporary Sediment Basin must be completely constructed to Engineer's design. This may include the following; Construction of the dewatering structure (Riser Pipe or Fair Cloth Skimmer and pump), Construction of the Emergency Overflow Structure, Installation of a sediment depth marker. Note-Once accessible to appropriate equipment, the only the Temporary Sediment Basin berms/slopes shall be temporarily stabilized.
- 4. General Contractor is to maintain all pollution control measures in effective operating condition throughout the contract period to the extent achievable. To ensure BMPs are operating effectively, and in accordance with the Construction General Permit, Lennar will provide regular and if applicable, post-rain event BMP inspections and inspection reports. The General Contractor will be provided an electronic copy of the BMP inspection report was email. weekly regarding issues with BMPs at the project through the Lennar SWP3 Inspection process. Items noted in the BMP Inspection report must be addressed by the General Contractor as soon as possible, and within 7 calendar days. General Contractor shall provide documentation to the assigned Lennar Land Development Project Manager to include:
- a. Actions taken in response to the BMP inspection report and date(s) the actions were completed or,
- b. Statement of extenuating circumstance as to why an item could not be completed within the 7-day timeframe and proposed scheduled date of completion.
- 5. Contractor to maintain Spill Response Supplies/Kit at the project location while actively working onsite.
- 6. When dewatering activities disccharge into onsite creeks or rivers, or discharge outside the limits of construction, daily dewatering inspections must be documented in accordance with the 03.05.2023 TCEQ Construction General Permit. Daily report must be sent to Lennar within 24-hours.

1/2/2024 Job No. 03346.006 & 03346.014

BID PROPOSAL SCHEDULE GRACE VALLEY RANCH SUBDIVISION PHASE 3A & 3 STREET EXTENSION LOT GRADING

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	соѕт
Phase 3A	4				
1.	Overall Clearing & Grubbing (Disturbed Area)	AC	26.5	\$ -	\$ -
2.	Overall Excavation	CY	30,562	\$ -	\$ -
3.	Overall Embankment	CY	37,962	\$ -	\$ -
				SUBTOTAL	\$
	Street Extension				
1.	Overall Clearing & Grubbing (Disturbed Area)	AC	3.5	\$ -	\$ -
2.	Overall Excavation	CY	1,273	\$ -	\$ -
3.	Overall Embankment	CY	3,407	\$ -	<u>\$</u>
				SUBTOTAL	. \$ -

TOTAL COST \$

Contractor to field verify and survey the existing site topography and submit information to engineer prior to submitting final bid for verification. No shrinkage or swelling factor is accounted for in the engineering excavation and embankment quantities. Contractor to adjust unit price as he deems necessary to account * for shrinkage and swelling.

- ** All final lot grading shall be compacted in accordance with notes on the Lot Grading Plan, Sheets GR1-GR2
- *** Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- **** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials	
Date	

BID PROPOSAL SCHEDULE GRACE VALLEY RANCH SUBDIVISION PHASE 3A & 3 STREET EXTENSION STREET IMPROVEMENTS

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES		UNIT PRICES		COST
Phase 3A							
1	Mobilization	LS	1	\$	-	\$	
2	Street Excavation	CY	9,168	\$	-	\$	
3	Street Embankment (Final)(Dens. Cont.)(Type B)	CY	9,335	\$	-	\$	
4	Contractor to remove existing header curb	LF	56	\$		\$	
5	Contractor to Remove Existing Guard Posts	EA	10	\$	-	\$	
6	2.5" HMAC Type "D"	SY	14,447	\$	-	\$	
7	10" Granular Base Course (Type "A" Grade 2)	SY	15,272	\$	-	\$	
8	Concrete Header Curb	LF	84	\$		\$	
9	ADA Curb Ramps	EA	24	\$		\$	
10	Concrete Curb & Gutter	LF	6,693				
11	Timber Gurad Post	EA	15	\$		\$	
12	Concrete Sidewalk	SY	125	\$		\$	
13	R1-1 STOP (30")(High Intensity)	EA	6	\$		\$	
14	OM-4 End of Road marker (18"X18")	EA	9	\$		\$	
15	9" [229mm] Street Name, Block Number (VARIES x9")(High Intesity)	EA	14	\$	<u>-</u>	\$	<u>-</u>
16	Type II Blue Raised Pavement Marker	EA	8	\$	-	\$	-
Dhaca 2 Str	eet Extension						
1 1	Mobilization	LS	1	•		•	
2	Street Excavation	CY	213	\$		<u>\$</u> \$	<u> </u>
3	Street Embankment (Final)(Dens. Cont.)(Type B)	CY	2,622	\$	<u>-</u>		<u>-</u>
4	Contractor to remove existing header curb	LF	2,022	\$		\$	<u>-</u>
5	Contractor to Remove Existing Guard Posts	EA	5	\$			
6	Contractor to Remove Existing Guard Posts Contractor to Remove Temporary Turnaround and Sinage	EA	1	<u>\$</u> \$	-	<u>\$</u> \$	<u> </u>
7	2.5" HMAC Type "D"	SY	2,673				<u>-</u>
8	10" Granular Base Course (Type "A" Grade 2)	SY	2,844	\$		\$	<u>-</u>
9	Concrete Header Curb	LF	112	<u>\$</u>		<u>\$</u> \$	<u>-</u>
10	ADA Curb Ramps	EA	8	\$	-	\$	<u>-</u>
11	Concrete Curb & Gutter	LF	1,530	\$	<u>-</u>	\$ \$	
12	Timber Gurad Post	EA	20	\$	-	\$ \$	<u> </u>
13	Concrete Sidewalk	SY	232	\$		\$ \$	<u>-</u>
14	Type II Blue Raised Pavement Marker	EA	2	\$		\$	
17	Type II Dide Naised I aveilletit iviainet	LA	_	φ		φ	

TOTAL (COST	\$	-

Bidders Initials	
Date	

^{*} Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

^{**} Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

BID PROPOSAL SCHEDULE GRACE VALLEY RANCH SUBDIVISION PHASE 3A & 3 STREET EXTENSION DRAINAGE IMPROVEMENTS

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
Phase 3A					
1	Special Inlet (Sidewalk Box) (15 FT)	EA	1	\$	\$
2	Special Inlet (Sidewalk Box) (30 FT)	EA	1	\$	- \$ -
3	Type II Inlet (Extension) (10 FT)	EA	1	\$	- \$ -
4	Type II Inlet (Complete) (15 FT)	EA	1	\$	- \$ -
5	Type II Inlet (Complete) (25 FT)	EA	1	\$	- \$ -
6	Grate Inlet (5' x 5')	EA	1	\$	- \$ -
7	Junction Box (5' x 5')	EA	1	\$	- \$ -
8	Junction Box (6' x 6')	EA	1	\$	- \$ -
9	30" R.C.P.	LF	32	\$	- \$ -
10	36" R.C.P.	LF	505	\$	- \$ -
11	48" R.C.P.	LF	312	\$	- \$ -
12	Concrete Rip-Rap (5" Thick)	SY	2,192	\$	- \$ -
13	Turf Reinforcement Mat (Landlok)	SY	62	\$	- \$ -
14	Hydromulch (Disturbed Open Space)	SY	24,868	\$	- \$ -
15	Gabion Mattress	SY	255	\$	- \$ -
16	Pipe Railing	LF	51	\$	- \$ -
17	Drainage Excavation	CY	7,070	\$	- \$ -
18	Drainage Embankment	CY	10,016	\$	- \$ -
				SUBTO	TAL <u>\$ -</u>
Phase 3 Str	eet extension				
1	Type II Inlet (Complete) (15 FT)	EA	2	\$	- \$ -
2	Type II Inlet (Complete) (40 FT)	EA	1	\$	- \$ -
3	4-Way Inlet (6' x 6')	EA	1	\$	- \$ -
4	Junction Box (5' x 5')	EA	1	\$	- \$ -
5	Junction Box (6' x 6')	EA	1	\$	- \$ -
6	24" R.C.P.	LF	165	\$	- \$ -
7	36" R.C.P.	LF	200	\$	- \$ -
8	48" R.C.P.	LF	284	\$	- \$ -
9	Concrete Rip-Rap (5" Thick)	SY	375	\$	- \$ -
10	Hydromulch (Disturbed Open Space)	SY	11,569	\$	- \$ -
11	Pipe Railing	LF	94	\$	- \$ -
12	8"x12" Rock Rubble	SY	16	\$	- \$ -
				SUBTO	TAL \$ -

TOTAL	COST	2	_

Bidders Initials	
Date	

^{*} Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

^{**} Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work

BID PROPOSAL SCHEDULE GRACE VALLEY RANCH SUBDIVISION PHASE 3A & 3 STREET EXTENSION WATER IMPROVEMENTS

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
Phase 3/	A				
1	Remove Existing Blowoff & Tie To Existing 8" Main	EA	2	\$ -	\$ -
2	Trench Excavation Safety Protection	LF	3674	\$ -	\$ -
3	8" C-909 Class 235 PVC Pipe	LF	2737	\$ -	\$ -
4	8" C-151 D.I. Pipe	LF	937	\$ -	\$ -
5	Ductile Iron Fittings	TON	4.82	\$ -	\$ -
6	8" Gate Valve & Boxes, M.J.	EA	17	\$ -	\$ -
7	1" Short Single Service with 5/8" meter	EA	3	\$ -	\$ -
8	1" Long Single Service with 5/8" meter	EA	4	\$ -	\$ -
9	1" Short Dual Service with 5/8" meter	EA	29	\$ -	\$ -
10	1" Long Dual Service with 5/8" meter	EA	23	\$ -	\$ -
11	Fire Hydrant Assembly	EA	8	\$ -	\$ -
12	2" Blowoffs (Perm.)	EA	3	\$ -	\$ -
13	Hydrostatic Testing	EA	1	\$ -	\$ -
14	Meter Boxes	EA	111	\$ -	\$ -
15	2" Blowoffs (Temp.)	EA	2	\$ -	\$ -
16	Machine Chlorination	EA	1	\$ -	\$ -
Phase 3.5	Street Extension				
1	Remove Existing Blowoff & Tie To Existing 8" Main	EA	1	\$	\$ -
2	Trench Excavation Safety Protection	LF	634	\$ -	\$ -
3	8" C-909 Class 235 PVC Pipe	LF	408	\$ -	\$ -
4	8" C-151 D.I. Pipe	LF	226	\$ -	\$ -
5	Ductile Iron Fittings	TON	0.91	\$ -	\$ -
6	8" Gate Valve & Boxes, M.J.	EA	6	\$ -	\$ -
7	1" Short Dual Service with 5/8" meter	EA	1	\$ -	\$ -
8	1" Long Dual Service with 5/8" meter	EA	2	\$ -	\$ -
9	Fire Hydrant Assembly	EA	2	\$ -	\$ -
10	2" Blowoffs (Perm.)	EA	3	\$ -	\$ -
11	Hydrostatic Testing	EA	1	\$ -	\$ -
12	Meter Boxes	EA	6	\$ -	\$ -
13	2" Blowoffs (Temp.)	EA	1	\$ -	\$ -
14	Machine Chlorination	EA	1	\$ -	\$ -
	masimis strictmans.		•	<u>*</u>	<u>*</u>

TOTAL	COST	2	_

Bidders Initials	
Date	

^{*} Cast Iron fittings weights were determined by mechanical joint compact

^{**} Service cost shall include the cost of the 4" PVC Sleeve

^{***} Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

BID PROPOSAL SCHEDULE GRACE VALLEY RANCH SUBDIVISION PHASE 3A & 3 STREET EXTENSION SANITARY SEWER IMPROVEMENTS

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
Phase 3	1				
1	8" SDR Sanitary Sewer Pipe				
	8" SDR 26 (6'-8')	LF	297	\$ -	\$ -
	8" SDR 26 (8'-10')	LF	450	\$ -	\$ -
	8" SDR 26 (10'-12')	LF	1,090	\$ -	\$ -
	8" SDR 26 (12'-14')	LF	874	\$ -	\$ -
	8" SDR 26 (14'-16') (160 PSI)	LF	363	\$ -	\$ -
2	10" SDR Sanitary Sewer Pipe				
	10" SDR 26 (6'-8')	LF	87	\$ -	\$ -
	10" SDR 26 (10'-12')	LF	67	\$ -	\$ -
	10" SDR 26 (14'-16')	LF	200	\$ -	\$ -
	10" SDR 26 (16'-18')	LF	167	\$ -	\$ -
	10" SDR 26 (18'-20')	LF	153	\$ -	\$ -
3	Standard Manhole	EA	21	\$ -	\$ -
4	Extra Depth Manhole	VF	56.36	\$ -	\$ -
5	Manhole Ring Encasement	EA	4	\$ -	\$ -
6	6" Sanitary Sewer Lateral w/ Cleanout	LF	5,504	\$ -	\$ -
7	6" Vertical Stacks	LF	167	\$ -	\$ -
8	Trench Excavation Protection	LF	9,251	\$ -	\$ -
9	TV / Video Sewer Line	LF	3,747	\$ -	\$ -
				SUBTOTAL	\$
	street ExtensionPhase 3 Street Extension				
1	8" SDR Sanitary Sewer Pipe				
	8" SDR 26 (6'-8')	LF	60	\$ -	\$ -
	8" SDR 26 (8'-10')	LF	452	\$ -	\$ -
	8" SDR 26 (10-12')	LF	198	<u>-</u>	\$ -
	8" SDR 26 (12'-14')	LF	63	<u>-</u>	\$ -
2	Standard Manhole	EA	4	<u>-</u>	\$ -
3	Extra Depth Manhole	VF	13.9	\$ -	\$ -
4	Manhole Ring Encasement	EA	1	\$ -	\$ -
5	6" Sanitary Sewer Lateral w/ Cleanout	LF	542	\$ -	\$ -
7	Trench Excavation Protection	LF	1,315	\$ -	\$ -
8	TV / Video Sewer Line	LF	773	<u>\$</u> -	\$ -
				SUBTOTAL	\$

- * Note: Refer quantities to the current Green Valley Special Utility District (GVSUD) Standard Specifications for Construction. GVSUD approval is required. Contractor shall provide proof of trench compaction test results as tested by a Geotechnical Engineer, to comply with GVSUD. Cost of first time testing to be paid by owner. Cost of required retesting shall be paid by Contractor.
- ** Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- ** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials	
Date	

 $^{^{\}star}$ Unit cost of 6" Sanitary Sewer Lateral shall include trench excavation protection.

1/2/2024 Job No. 03346.006 & 03346.014

BID PROPOSAL SCHEDULE GRACE VALLEY RANCH SUBDIVISION PHASE 3A & 3 STREET EXTENSION MISCELLANEOUS IMPROVEMENTS

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES*	UNIT PR	ICES	COST	
Phase 3	A						
1	Hydromulch (Disturbed Area Within Lots)	SY	72,571	\$	- \$		
2	Primary Conduit Crossing (4-2.5" SCH 80 & 6-4" SCH 80	LF	360	\$	- \$		-
3	PVC Sleeve Bundle (5-2.5" SCH 80 & 2-4" SCH 80)	LF	960	\$	- \$		
				SU	BTOTAL \$		-
Phase 3	Street Extension						
1	Primary Conduit Crossing (4-2.5" SCH 80 & 6-4" SCH 80	LF	180	\$	- \$		
2	PVC Sleeve Bundle (5-2.5" SCH 80 & 2-4" SCH 80)	LF	60	\$	- \$		
				SU	BTOTAL \$		-

TOTAL COST	\$	-
------------	----	---

- * Quantity provided is just to acquire Unit Price. True Quantities will be provided once final GVEC Design is complete.
- ** Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- *** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials	
Date	•