

MEYER RANCH UNIT 14

UNIT PRICES

Date _____

BIDDER'S FULL NAME _____

Address _____

City, State, Zip _____

CALENDAR DAYS _____

BASE BID: \$ _____ -

1. The Undersigned proposes to furnish all labor, services, materials, tools and necessary equipment for the construction of various improvements and to perform the work required at the locations set out by the Plans and Specifications, in strict accordance with the Contract Documents.
2. In submitting this Bid, it is understood that this Bid may not be altered or withdrawn for a minimum of 90 calendar days, and that the Owner has reserved the right to reject any and all Bids.
3. The Undersigned certifies that this Bid is made in good faith, without collusion or connection with any other person, persons, partnership, company, firm, association, or corporation offering Bids on this work, for the following sum or prices to wit:

SIGNATURES _____

Authorized Signing Officer, Title

SIGNATURES _____

Authorized Signing Officer, Title

ITEM	DESCRIPTION	UNIT	QTY	UNIT PRICE	AMOUNT
ONSITE STREETS					
1.	50' ROW (Clay Subgrade)				
	a. 2.5" Type D HMA (Gutter to Gutter)	SY	3,291	\$ -	\$ -
	b. 9" Flexible (Granular) Base (1' Behind Back of Curb)	SY	3,928	\$ -	\$ -
	c. 6" Lime Treated Subgrade (1' Behind Back of Curb)	SY	3,928	\$ -	\$ -
2.	50' ROW (Rock Subgrade)				
	a. 2" Type D HMA (Gutter to Gutter)	SY	2,440	\$ -	\$ -
	b. 8" Flexible (Granular) Base (1' Behind Back of Curb)	SY	2,946	\$ -	\$ -
3.	Revegetation (Hydromulch) Parkways	SY	2,946	\$ -	\$ -
4.	Sidewalk	SY	263	\$ -	\$ -
5.	7" Concrete Curb and Gutter	LF	3,430	\$ -	\$ -
6.	Remove Header Curb & Barricade Post	LF	30	\$ -	\$ -
7.	Striping and Signage	LS	1	\$ -	\$ -
SUBTOTAL					\$ -

ONSITE WATER DISTRIBUTION					
1.	6" PVCO C-909 PC 235	LF	193	\$ -	\$ -
2.	8" PVCO C-909 PC 235	LF	1,242	\$ -	\$ -
3.	8" DICL CL350	LF	134	\$ -	\$ -
4.	Standard Fire Hydrant Assembly	EA	4	\$ -	\$ -
5.	Ductile Iron Fittings	TON	1.3	\$ -	\$ -
6.	6" Gate Valve, MJ w/ Valve Box	EA	1	\$ -	\$ -
7.	8" Gate Valve, MJ w/ Valve Box	EA	1	\$ -	\$ -
8.	2" Auto Flush (Permanent)	EA	1	\$ -	\$ -
9.	2" Auto Flush (Temporary)	EA	1	\$ -	\$ -

10.	1" Single Service, Short	EA	16	\$	-	\$	-
11.	1" Single Service, Long with 2" SCH 40 Sleeve	EA	3	\$	-	\$	-
12.	1.5" Dual Service, Long with 4" SCH 40 Sleeve	EA	8	\$	-	\$	-
13.	1" Irrigation Service	EA	1	\$	-	\$	-
14.	Hydrostatic Testing	LS	1	\$	-	\$	-
15.	Trench Excavation Protection	LF	1,569	\$	-	\$	-
16.	Tie to Existing Water Main	EA	1	\$	-	\$	-
17.	Meter Boxes	EA	36	\$	-	\$	-
						SUBTOTAL	\$ -

ONSITE EARTHWORK, CLEARING, AND SWPPP

1.	Clearing (ROW)	AC	2.1	\$	-	\$	-
2.	Clearing (Drainage and Basin)	AC	2.6	\$	-	\$	-
3.	Excavation (Streets)	CY	2,960	\$	-	\$	-
4.	Embankment (Streets)	CY	2,130	\$	-	\$	-
5.	Excavation (Drainage and Basin)	CY	5,915	\$	-	\$	-
6.	Embankment (Drainage and Basin)	CY	1,120	\$	-	\$	-
7.	TPDES	LS	1	\$	-	\$	-
						SUBTOTAL	\$ -

ONSITE LOT EARTHWORK

1.	Clearing (Lots)	AC	7.7	\$	-	\$	-
2.	Excavation (Lots)	CY	2,735	\$	-	\$	-
3.	Embankment (Lots)	CY	8,965	\$	-	\$	-
4.	Gravity Retaining Wall	FF	565	\$	-	\$	-
						SUBTOTAL	\$ -

ONSITE DRAINAGE

1.	Channel Revegetation (Hydromulch)	SY	7,360	\$	-	\$	-
2.	Curlex Single Net Erosion Control Blankets	SY	3,322	\$	-	\$	-
3.	Landlok TRM 450 (TP-TRM)	SY	1,140	\$	-	\$	-
4.	12" Rock Rubble	SY	237	\$	-	\$	-
5.	24" RCP	LF	66.16	\$	-	\$	-
6.	30" RCP	LF	46.99	\$	-	\$	-
7.	5-8'x4' Multiple Box Culvert	LF	70.00	\$	-	\$	-
8.	Drain A Headwall (Upstream)	CY	30.6	\$	-	\$	-
9.	Drain A Headwall (Downstream)	CY	30.8	\$	-	\$	-
10.	Reinforced Concrete Class 'A'						
	a. RH-15 Headwall	CY	12.2	\$	-	\$	-
	b. Baffle Blocks	CY	3.8	\$	-	\$	-
	c. 5' Type C Curb Inlet	EA	2	\$	-	\$	-
	d. 20' Type C Curb Inlet	EA	1	\$	-	\$	-
11.	6" Concrete Rip Rap	SY	590	\$	-	\$	-
12.	Pipe Railing	LF	90	\$	-	\$	-
13.	4'x4' Junction Box	EA	2	\$	-	\$	-
14.	Trench Protection	LF	183.15	\$	-	\$	-

Basin (Includes 4" PVC pipe, 6" topsoil w/ Black Sod, 1' clay liner, 4" butterfly valve, flapper valve, controller and solar battery, riser pipe and trash rack, baffle blocks, landlok, curlex, etc.)				
15.	EA	2	\$	-
				\$
				-
SUBTOTAL				\$
				-

ONSITE CONDUITS

1.	3~3" Primary Conduits	LF	2,121	\$	-	\$	-
2.	1~3" Primary Conduit	LF	460	\$	-	\$	-
3.	1~3" Secondary Conduit	LF	1,490	\$	-	\$	-
4.	3" Service Conduit Stub outs (37 @ 5 LF Each)	LF	185	\$	-	\$	-
5.	3Ø 3 Place Primary Enclosure Foundation	EA	6	\$	-	\$	-
6.	1Ø Transformer Foundation	EA	6	\$	-	\$	-
7.	Secondary Pull box	EA	19	\$	-	\$	-
SUBTOTAL				\$	-		

ONSITE SANITARY SEWER

1.	8" Sanitary Sewer Pipe						
	4' to 6' Deep (SDR-26)	LF	35	\$	-	\$	-
	6' to 8' Deep (SDR-26)	LF	300	\$	-	\$	-
	8' to 10' Deep (SDR-26)	LF	674	\$	-	\$	-
	10' to 12' Deep (SDR-26)	LF	397	\$	-	\$	-
	12' to 14' Deep (SDR-26)	LF	374	\$	-	\$	-
	14' to 16' Deep (SDR-26)	LF	41	\$	-	\$	-
2.	Standard Manhole	EA	12	\$	-	\$	-
3.	Manhole Extra Depth >6'	VF	50.8	\$	-	\$	-
4.	Tie to Existing Sewer Main	EA	1	\$	-	\$	-
5.	Trench Excavation Protection	LF	1,821	\$	-	\$	-
6.	Camera Testing	LF	1,821	\$	-	\$	-
7.	8" x 6" Tee	EA	10	\$	-	\$	-
8.	6" Lateral (SDR-26) (Single) (Short)	EA	1	\$	-	\$	-
9.	6" Lateral (SDR-26) (Single) (Long)	EA	2	\$	-	\$	-
10.	6" Lateral (SDR-26) (Dual) (Short)	EA	9	\$	-	\$	-
11.	6" Lateral (SDR-26) (Dual) (Long)	EA	7	\$	-	\$	-
12.	Concrete Saddle	LF	335	\$	-	\$	-
13.	6" Vertical Stacks	VF	14.5	\$	-	\$	-
SUBTOTAL				\$	-		

MEYER RANCH UNIT 14 - BASE BID AMOUNT: \$ -

ALTERNATES

Irrigation Conduits

1.	4" Schedule 80 PVC Irrigation Sleeve	LF	100	\$	-	\$	-
2.	6" Schedule 80 PVC Irrigation Sleeve	LF	100	\$	-	\$	-
SUBTOTAL						\$	-

Guadalupe Valley Telecommunications Cooperative, Inc. Improvements

1.	Buried 2" PVC Pipe	LF	2,581	\$	-	\$	-
2.	Buried 4" PVC Pipe	LF	1,490	\$	-	\$	-
3.	#6 Copper Wire	LF	60	\$	-	\$	-
4.	Pull Strap	LF	4,071	\$	-	\$	-
5.	Joint Trench	LF	1,950	\$	-	\$	-
SUBTOTAL						\$	-