

**BID PROPOSAL SCHEDULE  
PARK PLACE 2B**

BIDDER'S NAME: \_\_\_\_\_

**BID SUMMARY**

ADMINISTRATION	\$ -
SW3P & SITEWORK	\$ -
STREET IMPROVEMENTS	\$ -
STORM DRAIN IMPROVEMENTS	\$ -
WATER IMPROVEMENTS	\$ -
SANITARY SEWER IMPROVEMENTS	\$ -
DRY UTILITIES	\$ -
OPTIONAL BID ITEMS	\$ -

**TOTAL BASE BID: \$ -**

\* Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

\*\* Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

**Bidders Initials** \_\_\_\_\_  
**Date** \_\_\_\_\_

BID PROPOSAL SCHEDULE

PARK PLACE UNIT 2B

ADMINISTRATION

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
1	Mobilization, Bonds, Prep ROW, Insurance	LS	1	\$ -	\$ -

TOTAL COST

\$ -

- \* Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

\*\* Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials

Date

**BID PROPOSAL SCHEDULE  
PARK PLACE UNIT 2B  
SW3P & SITEWORK**

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
1	Site Excavation	CY	36,465	\$ -	\$ -
2	Site Embankment	CY	22,006	\$ -	\$ -
3	Stockpile Excess Material	CY	14,460	\$ -	\$ -
4	Curb Inlet Protection (Filter Dike)	LF	55	\$ -	\$ -
5	Gravel Filter Bags	LF	10	\$ -	\$ -
6	Concrete Washout Pit	EA	1	\$ -	\$ -
7	Construction Entrance	EA	1	\$ -	\$ -
8	Silt Fence	LF	2,556	\$ -	\$ -
9	Rock Berm	LF	30	\$ -	\$ -
10	Clear & Grub/Strip Top Soil	AC	15	\$ -	\$ -

**TOTAL COST** \$ -

\* No shrinkage or swelling factor is accounted for in the engineering excavation and embankment quantities. Contractor to adjust unit price as he deems necessary to account for shrinkage and swelling.

\*\* Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

\*\*\* Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

**Bidders Initials** \_\_\_\_\_  
**Date** \_\_\_\_\_

**BID PROPOSAL SCHEDULE  
PARK PLACE 2B  
STREET IMPROVEMENTS**

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
1	3" HMAC Type "D"	SY	7,271	\$ -	\$ -
2	12" Granular Base Course	SY	10,003	\$ -	\$ -
3	6" Lime Treated Subgrade	SY	10,003	\$ -	\$ -
4	1 Course Surface Treatment (Turnaround)	SY	1,175	\$ -	\$ -
5	Concrete Curb & Gutter	LF	4,508	\$ -	\$ -
6	Concrete Spill Curb	LF	163	\$ -	\$ -
7	Demo Existing Header Curb	LF	100	\$ -	\$ -
8	4' Concrete Sidewalk	SY	128	\$ -	\$ -
9	ADA Curb Cuts & Ramps	EA	8	\$ -	\$ -
10	Concrete Header Curb	LF	31	\$ -	\$ -
11	Concrete Cross Gutter	SY	80	\$ -	\$ -
12	Mail Box Pad	EA	1	\$ -	\$ -
13	Street Markings/Signs	LS	1	\$ -	\$ -
14	ROW Revegetation	SY	2,809	\$ -	\$ -

**TOTAL COST** \$ -

\* Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

\*\* Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

**Bidders Initials** \_\_\_\_\_  
**Date** \_\_\_\_\_

**BID PROPOSAL SCHEDULE  
PARK PLACE 2B  
STORM DRAIN IMPROVEMENTS**

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
1	Drainage Lot Revegetation	SY	1,203	\$ -	\$ -
2	20' Sidewalk Box	EA	1	\$ -	\$ -
3	25' Sidewalk Box	EA	1	\$ -	\$ -
4	6" Reinforced Concrete Rip-Rap	SY	42	\$ -	\$ -
5	1' Thick Reinforced Concrete Wingwalls	SY	10	\$ -	\$ -
6	Galvanized Tubular Pipe Handrail	LF	60	\$ -	\$ -
7	6" Diameter Rock Rip-Rap	SY	12	\$ -	\$ -

**TOTAL COST** \$ -

\* Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

\*\* Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

**Bidders Initials** \_\_\_\_\_  
**Date** \_\_\_\_\_

**BID PROPOSAL SCHEDULE  
PARK PLACE 2B  
WATER IMPROVEMENTS**

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
1	8" PVC C-909 PC 235	LF	2,235	\$ -	\$ -
2	8" Ductile Iron C-151	LF	127	\$ -	\$ -
3	Trench Excavation Safety Protection	LF	2,362	\$ -	\$ -
4	Hydrostatic Testing	LS	1	\$ -	\$ -
5	Fire Hydrant Assembly (with 6" GV)	EA	4	\$ -	\$ -
6	1" Single Water Service, Long	EA	55	\$ -	\$ -
7	1" Single Water Service, Short	EA	43	\$ -	\$ -
8	Meter Boxes	EA	98	\$ -	\$ -
9	2" Temporary Blow-Off Valve	EA	1	\$ -	\$ -
10	Water Sampling Station	EA	1	\$ -	\$ -
11	Pipe Fittings	TN	0.6	\$ -	\$ -
12	8" Gate Valve MJ w/ box	EA	10	\$ -	\$ -
13	Tie into existing main	EA	3	\$ -	\$ -

**TOTAL COST** \$ -

\* Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

\*\* Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

**Bidders Initials** \_\_\_\_\_  
**Date** \_\_\_\_\_

**BID PROPOSAL SCHEDULE  
PARK PLACE 2B  
SANITARY SEWER IMPROVEMENTS**

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
1	8" Sanitary Sewer Pipe (6'-8')	LF	1,350	\$ -	\$ -
2	8" Sanitary Sewer Pipe (6'-8') - 160 PSI	LF	40	\$ -	\$ -
3	8" Sanitary Sewer Pipe (8'-10')	LF	890	\$ -	\$ -
4	8" Sanitary Sewer Pipe (10'-12')	LF	29	\$ -	\$ -
5	8" Sanitary Sewer Pipe (12'-14')	LF	22	\$ -	\$ -
6	8" Sanitary Sewer Pipe (14'-16')	LF	28	\$ -	\$ -
7	8" Sanitary Sewer Pipe (16'-18')	LF	8	\$ -	\$ -
8	6" Single Sanitary Sewer Laterals	LF	97	\$ -	\$ -
9	Vertical Stacks	VF	8	\$ -	\$ -
10	Standard Sanitary Sewer Manhole	EA	10	\$ -	\$ -
11	Extra Depth Manhole	LF	4.2	\$ -	\$ -
12	Trench Excavation Safety Protection	LF	2,367	\$ -	\$ -
13	TV inspection of sewer main	LF	2,367	\$ -	\$ -
14	Tie into existing manhole (no bore required)	EA	1	\$ -	\$ -
15	Mandrel and Vacuum Testing	LS	1	\$ -	\$ -

**TOTAL COST** \$ -

\* Unit cost of 6" Sanitary Sewer Lateral shall include trench excavation protection.

\*\* Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

\*\*\* Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

**Bidders Initials** \_\_\_\_\_  
**Date** \_\_\_\_\_

**BID PROPOSAL SCHEDULE  
PARK PLACE 2B  
DRY UTILITY IMPROVEMENTS**

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
1	2.5" PVC Conduit (GVEC)	LF	2,600	\$ -	\$ -
2	4" PVC Conduit (GVEC)	LF	720	\$ -	\$ -
3	2.5" PVC Conduit (Telecom)	LF	800	\$ -	\$ -

**TOTAL COST** \$ -

\* Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

\*\* Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

**Bidders Initials** \_\_\_\_\_  
**Date** \_\_\_\_\_