




The image contains three technical drawings of a fence system, labeled 'TYPICAL FENCE DETAIL'.

- Side Elevation:** Shows the profile of the fence with a 12" maximum height. It includes a 3" x 12" steel gate frame, a 3" x 12" steel gate, and a 3" x 12" steel gate post. The gate is shown in a closed position. The fence is made of 3" x 12" steel mesh. The drawing is labeled 'SIDE ELEVATION' and 'SCALE: 1" = 4'.
- Front Elevation:** Shows the front view of the fence with a 12" maximum height. It includes a 3" x 12" steel gate frame, a 3" x 12" steel gate, and a 3" x 12" steel gate post. The gate is shown in a closed position. The fence is made of 3" x 12" steel mesh. The drawing is labeled 'FRONT ELEVATION' and 'SCALE: 1" = 4'.
- Section View "A-A":** Shows a cross-section of the fence. It includes a 3" x 12" steel gate frame, a 3" x 12" steel gate, and a 3" x 12" steel gate post. The gate is shown in a closed position. The fence is made of 3" x 12" steel mesh. The drawing is labeled 'SECTION VIEW "A-A"' and 'SCALE: 1" = 4'.

GENERAL NOTES

1. ALL CONCRETE FOOTINGS SHALL BE CROWNED A MINIMUM OF 1" ABOVE THE EXISTING GROUND, WHERE FOOTINGS ARE REQUIRED ONLY.
2. FINISH SHALL BE LOCATED IN RETAINING WALLS, HEADWALLS & WINGWALLS AT LOCATIONS SHOWN ON THE PLANS.
3. CORNER OR FULL POSTS WILL BE REQUIRED AT ALL END POINTS AND ANGLE POINTS.
4. CONCRETE FOR SPAN/RAIL POST FOOTINGS SHALL BE IN ACCORDANCE WITH ITEM 300-B CLASS B CONCRETE.
5. PAYMENT SHALL BE MADE AS SPECIFIED IN ITEM NO. 300 "CHAIN LINK AND FENCE OF CITY OF SAN ANTONIO STANDARD SPECIFICATIONS FOR CONSTRUCTION."

MAY 2009	
CITY OF SAN ANTONIO	
CAPITAL IMPROVEMENTS MANAGEMENT SERVICES DEPARTMENT	
CHAIN LINK WIRE FENCE STANDARDS	
% SUBMITTAL PROJECT NO.:	DATE:

PLAT NO. _____ -
JOB NO. _____ 12482-00
DATE _____ AUG 2025
DESIGNER _____ -
CHECKED DW DRAWN FK
SHEET _____ 1 of 1

[illegible]

**PAPE-DAWSON
ENGINEERS**