

**BID QUANTITIES  
TALLYHO UNIT 2  
2/23/2024**

DESCRIPTION	UNIT	QTY
<b>STREET IMPROVEMENTS</b>		
Mobilization	LS	1
Clearing (ROW, Lots, and Easements)	AC	36
Street Excavation (Up to ROW)	CY	6,840
Street Embankment (Up to ROW)	CY	4,780
6" Lime Stabilized Subgrade (Local A)	SY	14,790
8" Lime Stabilized Subgrade (Local B)	SY	3,900
8" Lime Stabilized Subgrade (Local C)	SY	2,340
Lime	TON	371
11" Flexible Base (Local A)	SY	14,790
18.5" Flexible Base (Local B)	SY	3,900
21" Flexible Base (Local C)	SY	2,340
2" Type D Asphalt (Local A)	SY	13,308
1.5" Type D Asphalt (Local B)	SY	3,258
2.5" Type C Asphalt (Local B)	SY	3,258
1.5" Type D Asphalt (Local C)	SY	2,129
2.5" Type C Asphalt (Local C)	SY	2,129
Header Curb (110 LF - will not be constructed as units are being built concurrently)	LF	30
7" Standard Curb	LF	9,960
Barricade Posts (19 EA - will not be constructed as units are being built concurrently)	EA	5
Concrete Sidewalk (Developer Responsibility)	SY	1,428
ADA Wheelchair Ramps	EA	9
Signage and Striping	LS	1
TPDES Storm Water Pollution Prevention Plan	LS	1
<b>DRAINAGE IMPROVEMENTS</b>		
Drain Excavation	CY	3,975
Drain Embankment	CY	135
Concrete Baffle Blocks	CY	1.2
5' Sidewalk Boxes	EA	2
6' Sidewalk Boxes	EA	3
24" Reinforced Concrete Pipe	LF	31
36" Reinforced Concrete Pipe	LF	198
5'X3' Single Box Culvert	LF	105
10' Curb Inlet	EA	4
15' Curb Inlet	EA	1
Concrete Collars	CY	12
6" Concrete Rip-Rap	SY	149
Concrete Headwalls	CY	14
Hydromulch	SY	705
Sidewalk Pipe Railing	LF	89

9" Rock Rubble	SY	126
Trench Excavation Protection	LF	302
<b>WATER</b>		
8" C-900 PVC (DR 18) Pipe CL 235	LF	4,480
12" C-900 PVC (DR 18) Pipe CL 235	LF	2,939
1" Single Service, Short w/ 1" Meter	EA	1
3/4" Single Service, Short w/ 5/8" Meter	EA	78
3/4" Single Service, Long w/ 5/8" Meter	EA	37
8" Gate Valve, MJ w/ Valve Box	EA	16
12" Gate Valve, MJ w/ Valve Box	EA	9
2" Blowoff (Temporary)	EA	2
2" Blowoff (Permanent)	EA	8
3/4" Irrigation Service w/ 5/8" Meter	EA	8
Standard Fire Hydrant Assembly	EA	12
Fittings	TON	7
24" Steel Casing (For Main)	LF	45
12" Steel Casing (For Main)	LF	53
Tie Into Existing Water Main	EA	2
Hydrostatic Testing	LS	1
Trench Excavation Protection	LF	7,419
Joint Restraint	LS	1
Chlorination	LF	7,419
Meter Box	EA	124
<b>SEWER</b>		
8" Sanitary Sewer Pipe (SDR 26 160 PSI)		
a. 6' - 10'	LF	80
b. 14' - 18'	LF	20
8" Sanitary Sewer Pipe (SDR 26)		
a. 6' - 10'	LF	2,241
b. 10'-14'	LF	1,328
c. 14'-18'	LF	145
d. 18'-22'	LF	98
12" Sanitary Sewer Pipe (SDR 26 160 PSI)		
a. 14' - 18'	LF	20
b. 18'-12'	LF	40
12" Sanitary Sewer Pipe (SDR 26)		
a. 14' - 18'	LF	580
b. 18'-12'	LF	546
6" Sanitary Sewer Lateral (SDR-26)	LF	4,021
8"x6" Wyes	EA	91
12"x6" Wyes	EA	9
Standard Manhole w/ Ring Encasement	EA	22
Vertical Stack	VF	368
Manhole Extra Depth	VF	154
Tie into Existing Manhole	EA	1

Trench Excavation Protection	LF	9,119
TV Video Sewer Line	LF	5,098
<b>PRIVATE</b>		
Lot Excavation	CY	3,270
Lot Embankment	CY	66,460
<b>CONDUITS - PRIVATE</b>		
Construction Staking	LS	1
Bundle A: 3~6" PVC (SCH80) (Estimate, includes trenching) <sup>1</sup>	LF	110
Bundle B: 2~6" PVC (SCH80) & 2~4" PVC (SCH40) (Estimate, includes trenching) <sup>2</sup>	LF	100
Bundle C: 3~6" PVC (SCH80) & 2~4" PVC (SCH40) (Estimate, includes trenching) <sup>2</sup>	LF	100
SWPPP Development & Inspections (Medina County)	LS	1
Revegetation (All Graded Areas Outside Streets/Lots/Drains must be re-seeded)	SY	4,313
<p>1. Estimated - Quantities will be confirmed when CPS design is complete.</p>		