

BID PROPOSAL SCHEDULE
TRES LAURELS SUBDIVISION PHASE 4A

BIDDER'S NAME: _____

BID SUMMARY

| | |
|-----------------------------------|------|
| SEDIMENTATION AND EROSION CONTROL | \$ - |
| LOT GRADING IMPROVEMENTS | \$ - |
| DRAINAGE IMPROVEMENTS | \$ - |
| STREET IMPROVEMENTS | \$ - |
| WATER IMPROVEMENTS | \$ - |
| SANITARY SEWER IMPROVEMENTS | \$ - |
| MISCELLANEOUS IMPROVEMENTS | \$ - |
| | |
| TOTAL BASE BID: | \$ - |

**No shrinkage or swelling factor is accounted for in the engineering excavation and embankment quantities.
Contractor to adjust unit price as he deems necessary to account for shrinkage and swelling.**

* Includes Bid Bond, Warranty Assignments or Bonds, Per City of San Antonio, and SAWS Requirements

** Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

*** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials _____
Date _____

**BID PROPOSAL SCHEDULE
TRES LAURELS SUBDIVISION PHASE 4A
SEDIMENTATION & EROSION CONTROL**

| NO. | DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT PRICES | COST |
|-----------------|----------------------------------|-----------------|-----------------------|-------------|-------------|
| Phase 4A | | | | | |
| 1. | Stabilized Construction Entrance | EA | 1 | \$ - | \$ - |
| 2. | Concrete Washout Pit | EA | 1 | \$ - | \$ - |
| 3. | Silt Fence (Phase 1) | LF | 2440 | \$ - | \$ - |
| 4. | Silt Fence (Phase 2) | LF | 9632 | \$ - | \$ - |
| 5. | Inlet Protection | LF | 70 | \$ - | \$ - |
| 6. | Rock Berm | LF | 60 | \$ - | \$ - |
| TOTAL | | | | | \$ - |

- * Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- ** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.
- *** Commence of Construction:
- Initial project clearing will need to be limited to the locations of the proposed temporary SWP3 Best Management Practices (BMP) designed by the engineer. These BMPs may include, but are not limited to: Stabilized Construction Exit(s), Silt Fence, Discharge Point Rock Berms/Check Dams, Trash containment, Temporary Sediment Basins (if applicable), Demarcation of protected site features for example; Wetlands, Environmental Buffers, Caves or Solution Features, and Habitats.
 - Prior to commencement of additional clearing or earth disturbing activities, the proposed BMPs will need to be installed by the Contractor and inspected by a Lennar Representative. Contractor must provide at minimum, 48-hours of notice to Lennar when the BMPs are scheduled to be installed and completed. The Lennar Representative will coordinate the Land Development Manager to release the project for construction.
 - When a Temporary Sediment Basin is required for the project, limited clearing of the proposed basin location and any material borrow areas to construct the Temporary Sediment Basin may occur during the initial BMP installation period. The Temporary Sediment Basin must be completely constructed to Engineer's design. This may include the following; Construction of the dewatering structure (Riser Pipe or Fair Cloth Skimmer and pump), Construction of the Emergency Overflow Structure, Installation of a sediment depth marker. Note-Once accessible to appropriate equipment, the only the Temporary Sediment Basin berms/slopes shall be temporarily stabilized.
 - General Contractor is to maintain all pollution control measures in effective operating condition throughout the contract period to the extent achievable. To ensure BMPs are operating effectively, and in accordance with the Construction General Permit, Lennar will provide regular and if applicable, post-rain event BMP inspections and inspection reports. The General Contractor will be provided an electronic copy of the BMP inspection report via email. weekly regarding issues with BMPs at the project through the Lennar SWP3 Inspection process. Items noted in the BMP Inspection report must be addressed by the General Contractor as soon as possible, and within 7 calendar days. General Contractor shall provide documentation to the assigned Lennar Land Development Project Manager to include:
 - Actions taken in response to the BMP inspection report and date(s) the actions were completed or,
 - Statement of extenuating circumstance as to why an item could not be completed within the 7-day timeframe and proposed scheduled date of completion.
 - Contractor to maintain Spill Response Supplies/Kit at the project location while actively working onsite.
 - When dewatering activities discharge into onsite creeks or rivers, or discharge outside the limits of construction, daily dewatering inspections must be documented in accordance with the 03.05.2023 TCEQ Construction General Permit. Daily report must be sent to Lennar within 24-hours.

Bidders Initials _____
Date _____

**BID PROPOSAL SCHEDULE
TRES LAURELS SUBDIVISION PHASE 4A
LOT GRADING**

| NO. | DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT PRICES | COST |
|-----------------|--|-----------------|-----------------------|-------------|------|
| Phase 4A | | | | | |
| 1. | Overall Clearing & Grubbing (Disturbed Area) | AC | 31.6 | \$ - | \$ - |
| 2. | Overall Excavation | CY | 11,884 | \$ - | \$ - |
| 3. | Overall Embankment* | CY | 36,718 | \$ - | \$ - |
| 4. | Import* | CY | 15,743 | \$ - | \$ - |
| TOTAL | | | | | \$ - |

*

The contractor is to field verify and survey the existing site topography. Import quantity is subject to change based on the amount of material brought on-site from Montgomery Road Phase 1D and Tres Laurels CLOMR channel.

** Contractor to field verify and survey the existing site topography and submit information to engineer prior to submitting final bid for verification. No shrinkage or swelling factor is accounted for in the engineering excavation and embankment quantities. Contractor to adjust unit price as he deems necessary to account for shrinkage and swelling.

*** All final lot grading shall be compacted in accordance with notes on the Lot Grading Plan, Sheets C2.00

**** Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

***** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials

Date

BID PROPOSAL SCHEDULE
TRES LAURELS SUBDIVISION PHASE 4A
STREET IMPROVEMENTS

Job No. 7/2/2024
3050.015

18292

| NO. | DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT PRICES | COST |
|-----------------|--|-----------------|-----------------------|-------------|------|
| Phase 4A | | | | | |
| 1 | Mobilization | LS | 1 | \$ - | \$ - |
| 2 | Street Excavation | CY | 12,331 | \$ - | \$ - |
| 3 | Street Embankment (Final)(Dens. Cont.)(Type B) | CY | 2,970 | \$ - | \$ - |
| 4 | Contractor to remove existing header curb | LF | 40 | \$ - | \$ - |
| 5 | Contractor to Remove Existing Guard Posts | EA | 8 | \$ - | \$ - |
| 6 | 2" HMAC Type "D" | SY | 12,884 | \$ - | \$ - |
| 7 | 12.5" Flexible Base (Compacted Depth) | SY | 14,343 | \$ - | \$ - |
| 8 | 3" HMAC Type "D" | SY | 5,408 | \$ - | \$ - |
| 9 | 14.75" Flexible Base (Compacted Depth) | SY | 5,903 | \$ - | \$ - |
| 10 | 6" Lime Stabilized Subgrade (27 LB/SY) | SY | 20,246 | \$ - | \$ - |
| 11 | Concrete Header Curb | LF | 124 | \$ - | \$ - |
| 12 | Concrete Curb | LF | 9,632 | \$ - | \$ - |
| 13 | Timber Guard Post | EA | 25 | \$ - | \$ - |
| 14 | Concrete Sidewalk | SY | 463 | \$ - | \$ - |
| 15 | ADA Ramps | SY | 22 | \$ - | \$ - |
| 16 | R1-1 STOP (30")(High Intensity) | EA | 10 | \$ - | \$ - |
| 17 | OM-4 End of Road marker (18"X18") | EA | 12 | \$ - | \$ - |
| 18 | 9" [229mm] Street Name, Block Number (VARIES x9")(High Intesity) | EA | 22 | \$ - | \$ - |
| 19 | W11A-2 Ped Crossing (30"x30")(High Intensity) | EA | 2 | \$ - | \$ - |
| 20 | Type II Blue Raised Pavement Marker | EA | 8 | \$ - | \$ - |
| TOTAL | | | | | \$ - |

* Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials _____
Date _____

BID PROPOSAL SCHEDULE
TRES LAURELS SUBDIVISION PHASE 4A
DRAINAGE IMPROVEMENTS

| NO. | DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT PRICES | COST |
|-----------------|-------------------------------------|-----------------|-----------------------|-------------|-------------|
| Phase 4A | | | | | |
| 1 | Type II Inlet (Complete) (10 FT) | EA | 1 | \$ - | \$ - |
| 2 | Type II Inlet (Complete) (15 FT) | EA | 1 | \$ - | \$ - |
| 3 | Type II Inlet (Complete) (20 FT) | EA | 1 | \$ - | \$ - |
| 4 | Type II Inlet (Complete) (25 FT) | EA | 1 | \$ - | \$ - |
| 5 | 24" H.D.P.E. | LF | 282 | \$ - | \$ - |
| 6 | 36" H.D.P.E. | LF | 287 | \$ - | \$ - |
| 7 | Concrete Rip-Rap (5" Thick) | SY | 123 | \$ - | \$ - |
| 8 | Revegetation (Disturbed Open Space) | SY | 11,229 | \$ - | \$ - |
| 9 | 8"-12" Rock Rubble | SY | 93 | \$ - | \$ - |
| 10 | Concrete Collars | EA | 4 | \$ - | \$ - |
| 11 | Baffle Blocks | CY | 1 | \$ - | \$ - |
| TOTAL | | | | | \$ - |

* Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials _____
Date _____

BID PROPOSAL SCHEDULE
TRES LAURELS SUBDIVISION PHASE 4A
WATER IMPROVEMENTS

Job No. 7/2/2024
3050.015

| NO. | DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT PRICES | COST |
|-----------------|--|-----------------|-----------------------|-------------|-------------|
| Phase 4A | | | | | |
| 1 | Remove Existing Blowoff & Tie To Existing 8" Main | EA | 4 | \$ - | \$ - |
| 2 | Remove Existing Blowoff & Tie To Existing 12" Main | EA | 1 | \$ - | \$ - |
| 3 | Trench Excavation Safety Protection | LF | 4514 | \$ - | \$ - |
| 4 | 2" HDPE Pipe | LF | 622 | \$ - | \$ - |
| 5 | 8" C-900, DR18 Class 235 PVC Pipe | LF | 3727 | \$ - | \$ - |
| 6 | 12" C-900, DR18 Class 235 PVC Pipe | LF | 165 | \$ - | \$ - |
| 7 | Ductile Iron Fittings | TON | 3.66 | \$ - | \$ - |
| 8 | 8" Gate Valve & Boxes, M.J. | EA | 20 | \$ - | \$ - |
| 9 | 12" Gate Valve & Boxes, M.J. | EA | 4 | \$ - | \$ - |
| 10 | 3/4" Short Single Service with 5/8" meter | EA | 123 | \$ - | \$ - |
| 11 | 3/4" Long Single Service with 5/8" meter | EA | 54 | \$ - | \$ - |
| 12 | 1" Irrigation Service with 1" meter | EA | 2 | \$ - | \$ - |
| 13 | 1.5" Amenity Center Service with 1.5" meter | EA | 1 | \$ - | \$ - |
| 14 | Meter Boxes | EA | 180 | \$ - | \$ - |
| 15 | Fire Hydrant Assembly | EA | 6 | \$ - | \$ - |
| 16 | 6" Steel Casing | LF | 13 | \$ - | \$ - |
| 17 | 24" Steel Casing | LF | 39 | \$ - | \$ - |
| 18 | 2" Blowoffs (Perm.) | EA | 8 | \$ - | \$ - |
| 19 | 2" Blowoffs (Temp.) | EA | 5 | \$ - | \$ - |
| 20 | Hydrostatic Testing | EA | 1 | \$ - | \$ - |
| TOTAL | | | | | \$ - |

* Cast Iron fittings weights were determined by mechanical joint compact

** Service cost shall include the cost of the 4" PVC Sleeve

*** Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

**** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials

Date

**BID PROPOSAL SCHEDULE
TRES LAURELS SUBDIVISION PHASE 4A
SANITARY SEWER IMPROVEMENTS**

| NO. | DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES | UNIT PRICES | COST |
|-----------------|------------------------------------|-----------------|--------------------|-------------|------|
| Phase 4A | | | | | |
| 1 | 8" SDR Sanitary Sewer Pipe | | | | |
| | 8" SDR 26 (10'-14') | LF | 5070 | \$ - | \$ - |
| | 8" SDR 26 (14'-18') | LF | 297 | \$ - | \$ - |
| 2 | 12" SDR Sanitary Sewer Pipe | | | | |
| | 12" SDR 26 (6'-10') | LF | 26 | \$ - | \$ - |
| | 12" SDR 26 (10'-14') | LF | 325 | \$ - | \$ - |
| | 12" SDR 26 (14'-18') | LF | 76 | \$ - | \$ - |
| 3 | Standard Manhole | EA | 27 | \$ - | \$ - |
| 4 | Doghouse Manhole | EA | 1 | \$ - | \$ - |
| 5 | Extra Depth Manhole | VF | 164 | \$ - | \$ - |
| 6 | Vertical Stacks | LF | 112 | \$ - | \$ - |
| 7 | Bypass Pumping | LS | 1 | \$ - | \$ - |
| 8 | 6" Sanitary Sewer Lateral (SDR-26) | LF | 6,339 | \$ - | \$ - |
| 9 | WYE | EA | 178 | \$ - | \$ - |
| 10 | Trench Excavation Protection | LF | 5,794 | \$ - | \$ - |
| 11 | Concrete Encasement | CY | 7 | \$ - | \$ - |
| 12 | TV / Video Sewer Line | LF | 5,794 | \$ - | \$ - |
| TOTAL | | | | | \$ - |

* Unit cost of 6" Sanitary Sewer Lateral shall include trench excavation protection.

*** Note: Refer quantities to the current San Antonio Water System (SAWS) Standard Specifications for Construction. SAWS approval is required. Contractor shall provide proof of trench compaction test results as tested by a Geotechnical Engineer, to comply with SAWS. Cost of first time testing to be paid by owner. Cost of required retesting shall be paid by Contractor.

*** Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

**** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials _____
Date _____

Job No. 7/2/2024
3050.015

BID PROPOSAL SCHEDULE
TRES LAURELS SUBDIVISION PHASE 4A
MISCELLANEOUS IMPROVEMENTS

| NO. | DESCRIPTION | UNIT OF MEASURE | APPROX. QUANTITIES* | UNIT PRICES | COST |
|-----------------|---|-----------------|------------------------|-------------|------|
| Phase 4A | | | | | |
| 1 | Revegetation (Disturbed Area Within Lots) | SY | 106,460 | \$ - | \$ - |
| 2 | PVC Sleeve Bundle (3-3" SCH 80 & 2-4" SCH 80) | LF | 180 | \$ - | \$ - |
| TOTAL | | | | | \$ - |

* Quantity provided is just to acquire Unit Price. True Quantities will be provided once final CPS Design is complete.

** Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

*** Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials _____
Date _____