

BID PROPOSAL SCHEDULE
VIDA SAN ANTONIO LIFT STATION
BID SUMMARY

BIDDER'S NAME: _____

VIDA SAN ANTONIO LIFT STATION

LOT GRADING IMPROVEMENTS	\$ _____
DRAINAGE IMPROVEMENTS	\$ _____
STREET IMPROVEMENTS	\$ _____
SANITARY SEWER IMPROVEMENTS	\$ _____
LIFT STATION IMPROVEMENTS	\$ _____
SEDIMENTATION AND EROSION CONTROL	\$ _____
MISC. IMPROVEMENTS	\$ _____

TOTAL BASE BID: \$ _____

Note to Bidders:

- * Includes Warranty Assignments or Bonds, per AHJ General Construction Permit requirements.
- * Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- * Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials _____
Date _____

**BID PROPOSAL SCHEDULE
 VIDA SAN ANTONIO LIFT STATION
 SITE GRADING IMPROVEMENTS**

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
1.	SITE CLEARING & GRUBBING	AC	2.07	\$ _____	\$ _____
2.	SITE EXCAVATION	CY	595	\$ _____	\$ _____
3.	SITE EMBANKMENT	CY	4,527	\$ _____	\$ _____

TOTAL COST \$ _____

Note to Bidders:

- * All final site grading shall be compacted in accordance with notes on the Grading Plan
- * Contractor shall account for any shrinkage/swelling of soil material within bid price for excavation/embankment.
- * Contractor to field verify and survey the existing site topography and submit information to engineer prior to submitting final bid for verification. No shrinkage or swelling factor is accounted for in the engineering excavation and embankment quantities. Contractor to adjust unit price as he deems necessary to account for shrinkage and swelling.
- * Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- * Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials _____
Date _____

BID PROPOSAL SCHEDULE
VIDA SAN ANTONIO LIFT STATION
DRAINAGE IMPROVEMENTS

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
Drain "A"					
1.	DRAIN CLEARING	AC	0.04	\$ _____	\$ _____
2.	DRAINAGE EXCAVATION	CY	17	\$ _____	\$ _____
3.	DRAINAGE EMBANKMENT	CY	53	\$ _____	\$ _____
4.	M.B.C. 6'x3' BOX CULVERT	LF	119	\$ _____	\$ _____
5.	6" CONCRETE RIP-RAP	SY	79	\$ _____	\$ _____
6.	PIPE HANDRAIL	LF	63	\$ _____	\$ _____
7.	CONCRETE HEADWALL	CY	1	\$ _____	\$ _____
8.	RENO MATTRESS	SY	48	\$ _____	\$ _____
9.	REVEGETATION	SY	161	\$ _____	\$ _____
Drain "I"					
1.	DRAIN CLEARING	AC	0.17	\$ _____	\$ _____
2.	DRAINAGE EXCAVATION	CY	145	\$ _____	\$ _____
3.	DRAINAGE EMBANKMENT	CY	258	\$ _____	\$ _____
4.	M.B.C. 5'x2' BOX CULVERT	LF	271	\$ _____	\$ _____
5.	6" CONCRETE RIP-RAP	SY	109	\$ _____	\$ _____
6.	PIPE HANDRAIL	LF	89	\$ _____	\$ _____
7.	CONCRETE HEADWALL	CY	2.2	\$ _____	\$ _____
8.	RENO MATTRESS	SY	55	\$ _____	\$ _____
9.	REVEGETATION	SY	737	\$ _____	\$ _____
Drain "C"					
1.	DRAIN CLEARING	AC	0.01	\$ _____	\$ _____
2.	24" R.C.P.	LF	65	\$ _____	\$ _____
3.	24" RCP END TREATMENT	EA	2	\$ _____	\$ _____
4.	6" CONCRETE RIP-RAP	SY	6	\$ _____	\$ _____
5.	RENO MATTRESS	SY	40	\$ _____	\$ _____
Basin "B"					
1.	DRAIN CLEARING	AC	2.97	\$ _____	\$ _____
2.	DRAINAGE EXCAVATION	CY	5,914	\$ _____	\$ _____
3.	DRAINAGE EMBANKMENT	CY	1,860	\$ _____	\$ _____
4.	6" CONCRETE RIP-RAP	SY	415	\$ _____	\$ _____
5.	RENO MATTRESS	SY	64	\$ _____	\$ _____
6.	REVEGETATION	SY	13,970	\$ _____	\$ _____
TOTAL COST					\$ _____

Note to Bidders:

* Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.

* Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials _____
Date _____

**BID PROPOSAL SCHEDULE
 VIDA SAN ANTONIO LIFT STATION
 STREET IMPROVEMENTS**

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
1.	MOBILIZATION	LS	1	\$ _____	\$ _____
2.	CLEARING & GRUBBING (Streets & Easements)	AC	1.18	\$ _____	\$ _____
3.	EXCAVATION	CY	562	\$ _____	\$ _____
4.	EMBANKMENT	CY	1,554	\$ _____	\$ _____
5.	3" HMAC, TYPE D	SY	5,697	\$ _____	\$ _____
6.	10" FLEX BASE	SY	5,697	\$ _____	\$ _____
7.	6" LIME STABILIZATION	SY	5,697	\$ _____	\$ _____
8.	TIE IN TO EXISTING ASPHALT PAVEMENT	EA	1	\$ _____	\$ _____
9.	HEADER CURB	LF	4,704	\$ _____	\$ _____
10.	STRIPING (FIRE LANE)	LS	1	\$ _____	\$ _____
11.	SIGNAGE (FIRE LANE)	LS	1	\$ _____	\$ _____
12.	TRAFFIC CONTROL	LS	1	\$ _____	\$ _____

TOTAL COST \$ _____

Note to Bidders:

- * Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- * Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.
- * Street base and subgrade material is measured per square yard between curbs of the specified thickness required. The cost of the base and subgrade material under and behind the curb is to be included in the cost of the curb.
- * Costs associated with installation of wheelchair ramps shall be included in the cost of the sidewalks. (no separate pay item)

Bidders Initials _____
Date _____

**BID PROPOSAL SCHEDULE
 VIDA SAN ANTONIO LIFT STATION
 SANITARY SEWER IMPROVEMENTS**

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
GRAVITY MAIN					
1.	SANITARY SEWER PIPE				
	8" SDR 26	0' - 6'	LF	82	\$ _____ \$ _____
	8" SDR 26	6' - 8'	LF	220	\$ _____ \$ _____
	8" SDR 26	8' - 10'	LF	252	\$ _____ \$ _____
	8" SDR 26	10' - 12'	LF	148	\$ _____ \$ _____
	8" SDR 26	12' - 14'	LF	173	\$ _____ \$ _____
	8" SDR 26	14' - 16'	LF	287	\$ _____ \$ _____
	8" SDR 26	16' - 18'	LF	455	\$ _____ \$ _____
	8" SDR 26	18' - 20'	LF	874	\$ _____ \$ _____
	8" HDPE DR 11	18' - 20'	LF	225	\$ _____ \$ _____
	8" HDPE DR 11	20' - 22'	LF	42	\$ _____ \$ _____
	8" HDPE DR 11	22' - 24'	LF	168	\$ _____ \$ _____
	8" HDPE DR 11	24' - 26'	LF	44	\$ _____ \$ _____
2.	STANDARD MANHOLE		EACH	11	\$ _____ \$ _____
3.	FIBERGLASS REINFORCED PLASTIC MANHOLE		EACH	3	\$ _____ \$ _____
4.	MANHOLE EXTRA DEPTH		VF	96.6	\$ _____ \$ _____
5.	MANHOLE RING ENCASEMENT		EACH	14	\$ _____ \$ _____
6.	CONCRETE ENCASEMENT		LF	586	\$ _____ \$ _____
7.	TRENCH EXCAVATION PROTECTION		LF	2,970	\$ _____ \$ _____
8.	TV VIDEO SEWER LINE		LF	2,970	\$ _____ \$ _____
FORCE MAIN					
1.	TIE IN TO EXISTING HDPE		EACH	2	\$ _____ \$ _____
2.	TRENCH EXCAVATION PROTECTION		LF	3,402	\$ _____ \$ _____
3.	10" HDPE DR 13.5 (DIPS)		LF	3,402	\$ _____ \$ _____
4.	CONCRETE ENCASEMENT		LF	562	\$ _____ \$ _____
5.	2" AIR RELEASE VALVE W/ MARKER		EACH	1	\$ _____ \$ _____

TOTAL COST \$ _____

Note to Bidders:

- * Unit cost of 6" Sanitary Sewer Lateral shall include WYES, fittings, cleanouts, and trench excavation protection.
- * Refer quantities to the current AHJ Standard Specifications for Construction. An AHJ GCP (General Construction Permit) is required. Contractor shall provide proof of trench compaction test results as tested by a Geotechnical Engineer, to comply with AHJ GCP. Cost of first time testing to be paid by owner. Cost of required retesting shall be paid by Contractor.
- * Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- * Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials _____
Date _____

**BID PROPOSAL SCHEDULE
VIDA SAN ANTONIO LIFT STATION
LIFT STATION IMPROVEMENTS**

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
1.	SITE CLEARING & MOBILIZATION	LS	1	\$ _____	\$ _____
2.	IMPLEMENT SOIL EROSION & SEDIMENT CONTROL	LS	1	\$ _____	\$ _____
3.	FURNISH & INSTALL NECESSARY DEWATERING	LS	1	\$ _____	\$ _____
4.	ON SITE 12" SDR 26 PVC SEWER PIPE	LF	113	\$ _____	\$ _____
5.	STANDARD MANHOLE W/ RISERS AND RING	EACH	1	\$ _____	\$ _____
6.	10" FORCE MAIN	LF	35	\$ _____	\$ _____
7.	6" DI PIPE W/ VALVES AND FITTINGS	LS	1	\$ _____	\$ _____
8.	10" DI PIPE W/ VALVES AND FITTINGS	LS	1	\$ _____	\$ _____
9.	SUBMERSIBLE PUMPS (INCL. RAILS/BRACKETS/CABLES/ETC.)	LS	1	\$ _____	\$ _____
10.	WET WELL AIR INJECTORS, BLOWER, HOSES, ETC.	LS	1	\$ _____	\$ _____
11.	12' DIA FIBERGLASS WET WELL (INC. BACKFILL)	LS	1	\$ _____	\$ _____
12.	ELECTRICAL, INSTRUMENTATION, & CONTROLS	LS	1	\$ _____	\$ _____
13.	SCADA TOWER	LS	1	\$ _____	\$ _____
14.	GENERATOR	LS	1	\$ _____	\$ _____
15.	ELECTRICAL METER & TRANSFORMER	LS	1	\$ _____	\$ _____
16.	REINFORCED CONCRETE EQUIP PADS AND FOUNDATIONS	LS	1	\$ _____	\$ _____
17.	ELECTRICAL RACK CANOPY	LS	1	\$ _____	\$ _____
18.	TESTING	LS	1	\$ _____	\$ _____
19.	PAVEMENT	LS	1	\$ _____	\$ _____
20.	SECURITY FENCING	LF	385	\$ _____	\$ _____
21.	SECURITY GATES	EACH	2	\$ _____	\$ _____
22.	WATER SERVICE	LS	1	\$ _____	\$ _____

TOTAL COST \$ _____

Note to Bidders:

- * Refer quantities to the current AHJ Standard Specifications for Construction. An AHJ GCP (General Construction Permit) is required. Contractor shall provide proof of trench compaction test results as tested by a Geotechnical Engineer, to comply with AHJ GCP. Cost of first time testing to be paid by owner. Cost of required retesting shall be paid by Contractor.
- * Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- * Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials _____
Date _____

**BID PROPOSAL SCHEDULE
 VIDA SAN ANTONIO LIFT STATION
 SEDIMENTATION & EROSION CONTROL**

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
1.	STABILIZED CONSTRUCTION ENTRANCE	EA	1	\$ _____	\$ _____
2.	CONCRETE WASHOUT PIT	EA	1	\$ _____	\$ _____
3.	SILT FENCE	LF	5,435	\$ _____	\$ _____
4.	ROCK BERM	LF	67	\$ _____	\$ _____

TOTAL COST \$ _____

Note to Bidders:

- * Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be in error of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- * Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.
- * Contractor shall provide BMP to protect the perimeter floodplain from any stockpile.

Bidders Initials _____
Date _____

**BID PROPOSAL SCHEDULE
 VIDA SAN ANTONIO LIFT STATION
 MISC. IMPROVEMENTS**

NO.	DESCRIPTION	UNIT OF MEASURE	APPROX. QUANTITIES	UNIT PRICES	COST
1.	IMPORT FROM STOCKPILE @ VIDA 4 (5mi RT)	CY	1,019	\$ _____	\$ _____
2.	PAYMENT & PERFORMANCE BOND	LS	1	\$ _____	\$ _____
TOTAL COST					\$ _____

Note to Bidders:

- * Conduit line items are just to acquire Unit Price. Actual quantities will be pending municipalities final design.
- * All Conduit to be Schedule 80
- * Contractor is to perform an independent quantity take-off prior to signing the contract, to verify that the quantities given in the bid proposal are within three percent (3%) of the actual quantities required to complete the construction represented by the plans and specifications. If any quantity is found to be a difference of more than three percent (3%), the Contractor shall notify the Engineer forty-eight (48) hours prior to signing the contract.
- * Bids shall include all Unit Price costs as indicated by the Contract Documents and Bid Form. The bid price submitted by the Contractor shall be the sum of the unit prices times the estimated quantity of each item shown in the bid form. However, the Contractor shall guarantee himself of the accuracy of the quantities shown in the bid form. The quantities shown are estimates only and indicate only the magnitude of the project and a basis for bid comparison. Any discrepancies in quantity or work necessary to fulfill the intent of the plans shall be included, whether a bid item is included or not. Any work required for which a bid item is not shown shall be considered subsidiary to other work items.

Bidders Initials _____
Date _____